


uni JCB

Improving corrugated industry safety

with plastic modular belts



The next generation
of plastic modular belts for corrugated

Introduction of a new innovative product **uni JCB**

Ammeraal Beltech Modular has many years of experience operating Modular Belts within all types of corrugated production plants. A reputation for total reliability and excellent service is gained. But as a responsible business partner to the corrugated producers, new approaches are needed. Hence, the next generation product, uni JCB Modular Belt system, is developed.

Safety First

Observations of corrugated plant personnel walking on moving modular conveyor belts as part of their normal daily work routines led to design the uni JCB belt. This belt presents a new safety top surface Y profile tread pattern and high visibility belt edges.

Anything which can help to increase worker safety should always be a high priority and with increasing liability placed on plant owners and managers, the corrugated industry will highly appreciate this new extra contribution we make towards worker safety by means of the new uni JCB belt system.

New uni JCB belt features very high load capacity enabling longest possible conveyor sections and thus reducing number of transfer points. When combined with the new curved profiled belt underside, smoother running around conveyor terminal rollers and highest possible stack quality are maintained during transportation.



Safety First

Accident prevention rules require factory floors and areas where workers walk to be safe. Special protective measures should be taken where above average risk may be present. Moving conveyor belts upon which workers are required to walk as part of their normal working procedure demand special attention.



| | | |
|---|--------------------------------------|---|
| Ammeraal Beltech Modular uni JCB | Safe Walk | <ul style="list-style-type: none"> · Y profile SAFETY top belt surface. · Appropriate surface grip for pedestrians crossing belts. · High visibility belt edges to outline movement zone edges. · Chamfered belt edges to reduce trip risks. |
| | Lower total cost of ownership | <ul style="list-style-type: none"> · Enables fully automatic transporting of corrugated stacks. · Eliminates use of slip sheets for most corrugated products. · No contact pressure damage to lower corrugated sheets. · Clean hygienic contact surfaces, no dirt marking of sheets. · Low maintenance costs due to almost zero maintenance requirements. · Long belt lifetimes, economical transport solution. |
| | Plant efficiency | <ul style="list-style-type: none"> · Safe reliable transportation of all corrugated products. · No elephant's feet on base of corrugated stacks. |

Belt Features

High load capacity, longer conveyor sections less drive motors, less product transfers.

Higher belt stiffness than uni QNB belts, lower belt sag at high loads.


Profiled link base for smoother in-line product transfers.

Unique pin-locking system for ease of belt installation.

Fully interchangeable with uni QNB belt system.



US Sales and Service Locations



Expert advice, quality solutions
and local service
for all your belting needs

SYNTHETIC

Ammeraal Beltech North America

7501 N. St. Louis Avenue
Skokie, IL 60076

T +1 847 673 6720
F +1 847 673 6373
TF +1 800 323 4170

info-us@ammeraalbeltech.com
www.ammeraalbeltech.com

MODULAR

Ammeraal Beltech North America

500 Brentwood Drive
Reading, PA 19611

T +1 610 372 1800
F +1 610 372 3590
TF +1 800 937 2864

info-us@ammeraalbeltech.com
www.ammeraalbeltech.com


SPECIALTIES

Ammeraal Beltech North America

112 Nardis Drive
Jefferson, PA 15344

T +1 847 673 6720
F +1 847 673 6373
TF +1 800 323 4170

info-us@ammeraalbeltech.com
www.ammeraalbeltech.com



... and 150 more service contact points at www.ammeraalbeltech.com